

-
- Abbott, G. W. and S. A. Goldstein (1998). "A superfamily of small potassium channel subunits: form and function of the MinK-related peptides (MiRPs)." Q Rev Biophys **31**(4): 357-98.
- Abbott, G. W., E. A. Mercer, et al. (1998). "Conformational changes in a mammalian voltage-dependent potassium channel inactivation peptide." Biochemistry **37**(6): 1640-5.
- Aiken, C., J. Konner, et al. (1994). "Nef induces CD4 endocytosis: requirement for a critical dileucine motif in the membrane-proximal CD4 cytoplasmic domain." Cell **76**(5): 853-64.
- Akhavan, A., R. Atanasiu, et al. (2003). "Identification of a COOH-terminal segment involved in maturation and stability of human ether-a-go-go-related gene potassium channels." J Biol Chem **278**(41): 40105-12.
- Altfeld, M., M. M. Addo, et al. (2003). "Influence of HLA-B57 on clinical presentation and viral control during acute HIV-1 infection." Aids **17**(18): 2581-91.
- Altfeld, M., M. M. Addo, et al. (2003). "Enhanced detection of human immunodeficiency virus type 1-specific T-cell responses to highly variable regions by using peptides based on autologous virus sequences." J Virol **77**(13): 7330-40.
- Armbruster, V., M. Sauter, et al. (2002). "A novel gene from the human endogenous retrovirus K expressed in transformed cells." Clin Cancer Res **8**(6): 1800-7.
- Armbruster, V., M. Sauter, et al. (2004). "Np9 protein of human endogenous retrovirus K interacts with ligand of numb protein X." J Virol **78**(19): 10310-9.
- Armstrong, A. V. and D. E. Stewart-Tull (1971). "The site of the activity of extracellular products of *Pseudomonas aeruginosa* in the electron-transport chain in mammalian cell respiration." J Med Microbiol **4**(2): 263-70.
- Arnell, H., K. Hjalmas, et al. (1997). "The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q." J Med Genet **34**(5): 360-5.
- Asher, G., N. Reuven, et al. (2006). "20S proteasomes and protein degradation "by default". " Bioessays **28**(8): 844-9.
- Bagasra, O., E. Lavi, et al. (1996). "Cellular reservoirs of HIV-1 in the central nervous system of infected individuals: identification by the combination of in situ polymerase chain reaction and immunohistochemistry." Aids **10**(6): 573-85.
- Barre-Sinoussi, F., J. C. Chermann, et al. (2004). "Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). 1983." Rev Invest Clin **56**(2): 126-9.
- Bauer, C. K. and J. R. Schwarz (2001). "Physiology of EAG K⁺ channels." J Membr Biol **182**(1): 1-15.

-
- Becchetti, A., M. De Fusco, et al. (2002). "The functional properties of the human ether-a-go-go-like (HELK2) K⁺ channel." *Eur J Neurosci* **16**(3): 415-28.
- Bell, G. I. (1996). "Evolution of simple sequence repeats." *Comput Chem* **20**(1): 41-8.
- Biti, R., R. Ffrench, et al. (1997). "HIV-1 infection in an individual homozygous for the CCR5 deletion allele." *Nat Med* **3**(3): 252-3.
- Bittner, J. J. (1936). "Some Possible Effects of Nursing on the Mammary Gland Tumor Incidence in Mice." *Science* **84**(2172): 162.
- Blond, J. L., F. Beseme, et al. (1999). "Molecular characterization and placental expression of HERV-W, a new human endogenous retrovirus family." *J Virol* **73**(2): 1175-85.
- Blot, G., S. Lopez-Verges, et al. (2006). "Luman, a new partner of HIV-1 TMgp41, interferes with Tat-mediated transcription of the HIV-1 LTR." *J Mol Biol* **364**(5): 1034-47.
- Bodmer, S., K. Strommer, et al. (1989). "Immunosuppression and transforming growth factor-beta in glioblastoma. Preferential production of transforming growth factor-beta 2." *J Immunol* **143**(10): 3222-9.
- Boese, A., M. Sauter, et al. (2000). "Human endogenous retrovirus protein cORF supports cell transformation and associates with the promyelocytic leukemia zinc finger protein." *Oncogene* **19**(38): 4328-36.
- Bolivar, F., R. L. Rodriguez, et al. (1977). "Construction and characterization of new cloning vehicles. II. A multipurpose cloning system." *Gene* **2**(2): 95-113.
- Bour, S., C. Perrin, et al. (2001). "The human immunodeficiency virus type 1 Vpu protein inhibits NF-kappa B activation by interfering with beta TrCP-mediated degradation of Ikappa B." *J Biol Chem* **276**(19): 15920-8.
- Brouillette, J., S. A. Grandy, et al. (2007). "Cardiac repolarization is prolonged in CD4C/HIV transgenic mice." *J Mol Cell Cardiol* **43**(2): 159-67.
- Burnette, W. N. (1981). "'Western blotting': electrophoretic transfer of proteins from sodium dodecyl sulfate--polyacrylamide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A." *Anal Biochem* **112**(2): 195-203.
- Camaur, D. and D. Trono (1996). "Characterization of human immunodeficiency virus type 1 Vif particle incorporation." *J Virol* **70**(9): 6106-11.
- Carr, G. (1993). "On-the-job exposure to HIV: reducing the RNs' risk (continuing education credit)." *Calif Nurse* **89**(8): 6-7, 12.
- Chaconas, G. and J. H. van de Sande (1980). "5'-32P labeling of RNA and DNA restriction fragments." *Methods Enzymol* **65**(1): 75-85.
- Choi, W. S., A. Khurana, et al. (2005). "Kv1.5 surface expression is modulated by retrograde trafficking of newly endocytosed channels by the dynein motor." *Circ Res* **97**(4): 363-71.

-
- Cimarelli, A. and J. Luban (2001). "Context-dependent phenotype of a human immunodeficiency virus type 1 nucleocapsid mutation." *J Virol* **75**(15): 7193-7.
- Crise, B. and J. K. Rose (1992). "Identification of palmitoylation sites on CD4, the human immunodeficiency virus receptor." *J Biol Chem* **267**(19): 13593-7.
- Delisle, B. P., B. D. Anson, et al. (2004). "Biology of cardiac arrhythmias: ion channel protein trafficking." *Circ Res* **94**(11): 1418-28.
- Dellis, O., F. Bouteau, et al. (1999). "HIV-1 gp160 decreases the K⁺ voltage-gated current from Jurkat E6.1 T cells by up-phosphorylation." *FEBS Lett* **443**(2): 187-91.
- Denne, M., M. Sauter, et al. (2007). "Physical and functional interactions of human endogenous retrovirus proteins Np9 and rec with the promyelocytic leukemia zinc finger protein." *J Virol* **81**(11): 5607-16.
- Dugaiczyk, A., H. W. Boyer, et al. (1975). "Ligation of EcoRI endonuclease-generated DNA fragments into linear and circular structures." *J Mol Biol* **96**(1): 171-84.
- Earl, P. L., B. Moss, et al. (1991). "Folding, interaction with GRP78-BiP, assembly, and transport of the human immunodeficiency virus type 1 envelope protein." *J Virol* **65**(4): 2047-55.
- Ellermann V. and Bang.O. 1908. Experimentelle Leukämie bei Hühnern. *Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg. Abt. Orig.* 46: 595-609.
- Felber, B. K., M. Hadzopoulou-Cladaras, et al. (1989). "rev protein of human immunodeficiency virus type 1 affects the stability and transport of the viral mRNA." *Proc Natl Acad Sci U S A* **86**(5): 1495-9.
- Folks, T., S. Bann, et al. (1985). "Characterization of a continuous T-cell line susceptible to the cytopathic effects of the acquired immunodeficiency syndrome (AIDS)-associated retrovirus." *Proc Natl Acad Sci U S A* **82**(13): 4539-43.
- Fouchier, R. A., B. E. Meyer, et al. (1998). "Interaction of the human immunodeficiency virus type 1 Vpr protein with the nuclear pore complex." *J Virol* **72**(7): 6004-13.
- Fu, W., B. E. Sanders-Beer, et al. (2009). "Human immunodeficiency virus type 1, human protein interaction database at NCBI." *Nucleic Acids Res* **37**(Database issue): D417-22.
- Gao, H. Q., S. G. Sarafianos, et al. (1999). "Similarities and differences in the RNase H activities of human immunodeficiency virus type 1 reverse transcriptase and Moloney murine leukemia virus reverse transcriptase." *J Mol Biol* **294**(5): 1097-113.
- Garson, J. A., P. W. Tuke, et al. (1998). "Detection of virion-associated MSR-V-RNA in serum of patients with multiple sclerosis." *Lancet* **351**(9095): 33.
- Gaynor, E. M. and I. S. Chen (2001). "Analysis of apoptosis induced by HIV-1 Vpr and examination of the possible role of the hHR23A protein." *Exp Cell Res* **267**(2): 243-57.

-
- Giepmans, B. N., S. R. Adams, et al. (2006). "The fluorescent toolbox for assessing protein location and function." Science **312**(5771): 217-24.
- Gluzman, Y. (1981). "SV40-transformed simian cells support the replication of early SV40 mutants." Cell **23**(1): 175-82.
- Goff, S. P. (2007). "Host factors exploited by retroviruses." Nat Rev Microbiol **5**(4): 253-63.
- Goff, S. P. (2008). "Knockdown screens to knockout HIV-1." Cell **135**(3): 417-20.
- Graham, F. L., J. Smiley, et al. (1977). "Characteristics of a human cell line transformed by DNA from human adenovirus type 5." J Gen Virol **36**(1): 59-74.
- Greenberg, M., L. DeTulleo, et al. (1998). "A dileucine motif in HIV-1 Nef is essential for sorting into clathrin-coated pits and for downregulation of CD4." Curr Biol **8**(22): 1239-42.
- Greene, W. C. and B. M. Peterlin (2002). "Charting HIV's remarkable voyage through the cell: Basic science as a passport to future therapy." Nat Med **8**(7): 673-80.
- Gurtler, L. (2004). "[SIV as a source of HIV. On the origin of human immunodeficiency viruses from non-human primates]." Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz **47**(7): 680-4.
- Hadzopoulou-Cladaras, M., B. K. Felber, et al. (1989). "The rev (trs/art) protein of human immunodeficiency virus type 1 affects viral mRNA and protein expression via a cis-acting sequence in the env region." J Virol **63**(3): 1265-74.
- Halfter, H., J. Kremerskothen, et al. (1998). "Growth inhibition of newly established human glioma cell lines by leukemia inhibitory factor." J Neurooncol **39**(1): 1-18.
- Hildinger, M., M. T. Dittmar, et al. (2001). "Membrane-anchored peptide inhibits human immunodeficiency virus entry." J Virol **75**(6): 3038-42.
- Holmes, D. S. and M. Quigley (1981). "A rapid boiling method for the preparation of bacterial plasmids." Anal Biochem **114**(1): 193-7.
- Hsu, K., J. Seharaseyon, et al. (2004). "Mutual functional destruction of HIV-1 Vpu and host TASK-1 channel." Mol Cell **14**(2): 259-67.
- Huebner, R. J. and G. J. Todaro (1969). "Oncogenes of RNA tumor viruses as determinants of cancer." Proc Natl Acad Sci U S A **64**(3): 1087-94.
- Kaslow, R. A., M. Carrington, et al. (1996). "Influence of combinations of human major histocompatibility complex genes on the course of HIV-1 infection." Nat Med **2**(4): 405-11.
- Kay, H. H., K. M. Grindle, et al. (2000). "Ethanol exposure induces oxidative stress and impairs nitric oxide availability in the human placental villi: a possible mechanism of toxicity." Am J Obstet Gynecol **182**(3): 682-8.

-
- Kestler, H. W., 3rd, D. J. Ringler, et al. (1991). "Importance of the nef gene for maintenance of high virus loads and for development of AIDS." Cell **65**(4): 651-62.
- Klatzmann, D., J. P. Laporte, et al. (1986). "[Functional inhibition by cyclosporin A of the lymphocyte receptor for the AIDS virus (HIV)]." C R Acad Sci III **303**(9): 343-8.
- Kort, J. J. and T. O. Jalonen (1998). "The nef protein of the human immunodeficiency virus type 1 (HIV-1) inhibits a large-conductance potassium channel in human glial cells." Neurosci Lett **251**(1): 1-4.
- Kosolapov, A. and C. Deutsch (2003). "Folding of the voltage-gated K⁺ channel T1 recognition domain." J Biol Chem **278**(6): 4305-13.
- Kupfer, B., R. Kaiser, et al. (1999). "Protection against parenteral HIV-1 infection by homozygous deletion in the C-C chemokine receptor 5 gene." Aids **13**(9): 1025-8.
- Kurtzke, J. F. (1993). "Epidemiologic evidence for multiple sclerosis as an infection." Clin Microbiol Rev **6**(4): 382-427.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4." Nature **227**(5259): 680-5.
- Lederberg, E. M. and S. N. Cohen (1974). "Transformation of *Salmonella typhimurium* by plasmid deoxyribonucleic acid." J Bacteriol **119**(3): 1072-4.
- Leonard, R. J., M. L. Garcia, et al. (1992). "Selective blockers of voltage-gated K⁺ channels depolarize human T lymphocytes: mechanism of the antiproliferative effect of charybdotoxin." Proc Natl Acad Sci U S A **89**(21): 10094-8.
- Lewis, R. S. and M. D. Cahalan (1995). "Potassium and calcium channels in lymphocytes." Annu Rev Immunol **13**: 623-53.
- Lin, C. S., R. C. Boltz, et al. (1993). "Voltage-gated potassium channels regulate calcium-dependent pathways involved in human T lymphocyte activation." J Exp Med **177**(3): 637-45.
- Lusso, P., F. Cocchi, et al. (1995). "Growth of macrophage-tropic and primary human immunodeficiency virus type 1 (HIV-1) isolates in a unique CD4⁺ T-cell clone (PM1): failure to downregulate CD4 and to interfere with cell-line-tropic HIV-1." J Virol **69**(6): 3712-20.
- Maniatis, A., S. Tsakanikas, et al. (1989). "Intermediate-dose melphalan for refractory myeloma." Blood **74**(3): 1177.
- Martin, R., H. F. McFarland, et al. (1992). "Immunological aspects of demyelinating diseases." Annu Rev Immunol **10**: 153-87.
- McDonald, J. C. (2003). "Semper Paratus." Radiat Prot Dosimetry **103**(2): 99-100.
- Miyake, A., S. Mochizuki, et al. (1999). "New ether-a-go-go K(+) channel family members localized in human telencephalon." J Biol Chem **274**(35): 25018-25.

- Modrow S., Falke D., Truyen U., (2003) Molekulare Virologie. 2. Auflage Spektrum, Gustav Fischer, Berlin
- Moulard, M. and E. Decroly (2000). "Maturation of HIV envelope glycoprotein precursors by cellular endoproteases." Biochim Biophys Acta **1469**(3): 121-32.
- Nakajima, T., M. Kurabayashi, et al. (2000). "Characterization of S818L mutation in HERG C-terminus in LQT2. Modification of activation-deactivation gating properties." FEBS Lett **481**(2): 197-203.
- Neumann, T., I. Hagmann, et al. (2005). "T20-insensitive HIV-1 from naive patients exhibits high viral fitness in a novel dual-color competition assay on primary cells." Virology **333**(2): 251-62.
- Niederman, T. M., W. R. Hastings, et al. (1993). "HIV-1 Nef protein inhibits the recruitment of AP-1 DNA-binding activity in human T-cells." Virology **194**(1): 338-44.
- O'Brien, W. A., P. M. Hartigan, et al. (1996). "Changes in plasma HIV-1 RNA and CD4+ lymphocyte counts and the risk of progression to AIDS. Veterans Affairs Cooperative Study Group on AIDS." N Engl J Med **334**(7): 426-31.
- Papazian, D. M. (1999). "Potassium channels: some assembly required." Neuron **23**(1): 7-10.
- Pericak-Vance, M. A., M. P. Bass, et al. (1997). "Complete genomic screen in late-onset familial Alzheimer disease. Evidence for a new locus on chromosome 12." Jama **278**(15): 1237-41.
- Perron, H., J. A. Garson, et al. (1997). "Molecular identification of a novel retrovirus repeatedly isolated from patients with multiple sclerosis. The Collaborative Research Group on Multiple Sclerosis." Proc Natl Acad Sci U S A **94**(14): 7583-8.
- Petrecca, K., D. M. Miller, et al. (2000). "Localization and enhanced current density of the Kv4.2 potassium channel by interaction with the actin-binding protein filamin." J Neurosci **20**(23): 8736-44.
- Poiesz, B. J., F. W. Ruscetti, et al. (1980). "Detection and isolation of type C retrovirus particles from fresh and cultured lymphocytes of a patient with cutaneous T-cell lymphoma." Proc Natl Acad Sci U S A **77**(12): 7415-9.
- Popovic, M., M. G. Sarngadharan, et al. (1984). "Detection, isolation, and continuous production of cytopathic retroviruses (HTLV-III) from patients with AIDS and pre-AIDS." Science **224**(4648): 497-500.
- Ptak, R. G., W. Fu, et al. (2008). "Cataloguing the HIV type 1 human protein interaction network." AIDS Res Hum Retroviruses **24**(12): 1497-502.
- Rockstroh, J. K. (2000). "[Antiretroviral therapy of HIV-infections]." Pharm Unserer Zeit **29**(5): 284-96.
- Rous. P. 1911. A sarcoma of the fowl transmissible by an agent separable from the tumor cells. J. Exp. Med. 13: 397-411.

- Roti, E. C., C. D. Myers, et al. (2002). "Interaction with GM130 during HERG ion channel trafficking. Disruption by type 2 congenital long QT syndrome mutations. Human Ether-a-go-go-Related Gene." J Biol Chem **277**(49): 47779-85.
- P. Rous. 1911. A sarcoma of the fowl transmissible by an agent separable from the tumor cells. J. Exp. Med. 13: 397-411.
- Russi, E., O. Oelz, et al. (1983). "Pneumocystis carinii pneumonia and mucosal candidiasis in a previously healthy homosexual man." Infection **11**(4): 196-7.
- Saiki, R. K., D. H. Gelfand, et al. (1988). "Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase." Science **239**(4839): 487-91.
- Sakalian, M. and E. Hunter (1998). "Molecular events in the assembly of retrovirus particles." Adv Exp Med Biol **440**: 329-39.
- Sanguinetti, M. C. and M. Tristani-Firouzi (2006). "hERG potassium channels and cardiac arrhythmia." Nature **440**(7083): 463-9.
- Sattentau, Q. J., J. P. Moore, et al. (1993). "Conformational changes induced in the envelope glycoproteins of the human and simian immunodeficiency viruses by soluble receptor binding." J Virol **67**(12): 7383-93.
- Sauter, M., S. Schommer, et al. (1995). "Human endogenous retrovirus K10: expression of Gag protein and detection of antibodies in patients with seminomas." J Virol **69**(1): 414-21.
- Scherer, W. F., J. T. Syverton, et al. (1953). "Studies on the propagation in vitro of poliomyelitis viruses. IV. Viral multiplication in a stable strain of human malignant epithelial cells (strain HeLa) derived from an epidermoid carcinoma of the cervix." J Exp Med **97**(5): 695-710.
- Schneider, U. and H. U. Schwenk (1977). "Characterization of "T" and "non-T" cell lines established from children with acute lymphoblastic leukemia and non-Hodgkin lymphoma after leukemic transformation." Haematol Blood Transfus **20**: 265-9.
- Schubert, U., S. Bour, et al. (1996). "The two biological activities of human immunodeficiency virus type 1 Vpu protein involve two separable structural domains." J Virol **70**(2): 809-19.
- Seoh, S. A., D. Sigg, et al. (1996). "Voltage-sensing residues in the S2 and S4 segments of the Shaker K+ channel." Neuron **16**(6): 1159-67.
- Sgaramella, V., J. H. Van de Sande, et al. (1970). "Studies on polynucleotides, C. A novel joining reaction catalyzed by the T4-polynucleotide ligase." Proc Natl Acad Sci U S A **67**(3): 1468-75.
- Smith, G. A., H. W. Tsui, et al. (2002). "Functional up-regulation of HERG K+ channels in neoplastic hematopoietic cells." J Biol Chem **277**(21): 18528-34.

-
- Strebel, K., D. Daugherty, et al. (1987). "The HIV 'A' (sor) gene product is essential for virus infectivity." Nature **328**(6132): 728-30.
- Studier, F. W. and B. A. Moffatt (1986). "Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes." J Mol Biol **189**(1): 113-30.
- Sundquist, W. I. and C. P. Hill (2007). "How to assemble a capsid." Cell **131**(1): 17-9.
- Tiganos, E., J. Friberg, et al. (1998). "Structural and functional analysis of the membrane-spanning domain of the human immunodeficiency virus type 1 Vpu protein." Virology **251**(1): 96-107.
- Torres-Munoz, J. E., M. Nunez, et al. (2008). "Successful application of hyperbranched multidisplacement genomic amplification to detect HIV-1 sequences in single neurons removed from autopsy brain sections by laser capture microdissection." J Mol Diagn **10**(4): 317-24.
- Towbin, H., T. Staehelin, et al. (1979). "Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications." Proc Natl Acad Sci U S A **76**(9): 4350-4.
- Trkola, A., T. Dragic, et al. (1996). "CD4-dependent, antibody-sensitive interactions between HIV-1 and its co-receptor CCR-5." Nature **384**(6605): 184-7.
- Weaver, C. D., D. Harden, et al. (2004). "A thallium-sensitive, fluorescence-based assay for detecting and characterizing potassium channel modulators in mammalian cells." J Biomol Screen **9**(8): 671-7.
- Weiss, R. A. (2006). "The discovery of endogenous retroviruses." Retrovirology **3**: 67.
- Welker, R., H. Kottler, et al. (1996). "Human immunodeficiency virus type 1 Nef protein is incorporated into virus particles and specifically cleaved by the viral proteinase." Virology **219**(1): 228-36.
- Wyatt, R. and J. Sodroski (1998). "The HIV-1 envelope glycoproteins: fusogens, antigens, and immunogens." Science **280**(5371): 1884-8.
- Yellen, G. (2002). "The voltage-gated potassium channels and their relatives." Nature **419**(6902): 35-42.
- Yoshida, M., I. Miyoshi, et al. (1982). "Isolation and characterization of retrovirus from cell lines of human adult T-cell leukemia and its implication in the disease." Proc Natl Acad Sci U S A **79**(6): 2031-5.
- Zegarra-Moran, O., A. Rasola, et al. (1999). "HIV-1 nef expression inhibits the activity of a Ca²⁺-dependent K⁺ channel involved in the control of the resting potential in CEM lymphocytes." J Immunol **162**(9): 5359-66.
- Zou, A., Z. Lin, et al. (2003). "Distribution and functional properties of human KCNH8 (Elk1) potassium channels." Am J Physiol Cell Physiol **285**(6): C1356-66.

Dissertationen:

1. Pearl van Heteren, Interaktion des HTLV-1 Env Proteins mit dem spannungsabhängigen Kalium Kanal BEC-1 (2008)

2. Michael Glas , Interaktion des HERV-W Env Proteins mit dem spannungsabhängigen Kalium Kanal BEC-1 (2008)