

6. Literaturverzeichnis

1. **Alpert NR**, Leavitt BJ, Ittleman FP et al. (1998) A mechanistic analysis of the force – frequency relation in non – failing and progressively failing human myocardium. *Basic Res Cardiol* 93: 23 – 32
2. **Alt E** (1986) Frequenzadaptierte Herzschrittmacher. Naumann d'Alnoncourt C, eds.: *Herzrhythmusstörungen*. Berlin, Heidelberg, New York, London, Paris, Tokyo: Springer 1986; 178 – 196
3. **Barold SS** (2003) Adverse effects of ventricular desynchronization induced by long – term right ventricular pacing. *J Am Coll Cardiol* 42: 624 – 626
4. **Beaver WL**, Wassermann K, Whipp BJ (1986) A new method for detecting anaerobic threshold by gas exchange. *J Appl Physiol* 60: 2020 – 2027
5. **Brutsaert DL**, Sys SU, Gillebert TC (1993) Diastolic failure: pathophysiology and therapeutic implications. *J Am Coll Cardiol* 22: 318 – 325
6. **Ekelund LG**, Holmgren A (1967) Central hemodynamics during exercise. *Circ Res* 20/21: 33 - 43
7. **Ellestad M**, Wan M (1975) Predictive implications of stress testing: Follow - up of 2700 subjects after maximum treadmill stress testing. *Circulation* 51: 363 - 369
8. **Epperlein S**, Kreft A, Siegert V, Liebrich A, Himmrich E, Treese N (1996) DDD - versus DDDR - Schrittmacherstimulation: Vergleich der kardiopulmonalen Leistungsfähigkeit, der Häufigkeit von Vorhofarrhythmien und der Lebensqualität. *Z Kardiol* 85: 226 - 236
9. **Feldmann MD**, Alderman JD, Aroesty JM (1988) Depression of systolic and diastolic myocardial reserve during atrial pacing tachycardia in patients with dilated cardiomyopathy. *J Clin Invest* 82: 1661 - 1669
10. **Haltern G**, Kempa L, Ochs JG, Hanrath P, et al. (1995) Chronic frequency - adaptive pacemaker therapy in patients with heart failure. *Z Kardiol* 84: 834 - 843
11. **Hansen JE**, Sue DY, Wassermann K (1984) Predicted values for clinical exercise testing. *Am Rev Respir Dis* 129: 49 - 55
12. **Kindermann M**, Froehlig G, Doerr T, et al (1997) Optimizing the AV delay in DDD pacemaker patients with high degree A V block: mitral valve Doppler versus impedance cardiography. *Pacing Clin Electrophysiol* 20: 2453 - 2462
13. **Kindermann M**, Fröhlig G (2002) Frequenzadaptive Schrittmachertherapie bei chronotroper Inkompakenz. *Dtsch Med Wochenschr* 127:1526 – 1529

14. **Kindermann** M, Schwaab B, Finkler N, Schaller S, Böhm M, Fröhlig G (2002) Defining the optimum upper heart rate limit during exercise: a study in pacemaker patients with heart failure. *Eur Heart J* 23: 1301 - 1308
15. **Kjekshus** J, Gullestad L (1999) Heart rate as a therapeutic target in heart failure. *Eur Heart J* 1: 64 - 69
16. **Kruger** S, Stellbrink C, Frielingsdorf J, et al. (1998) Value of spiroergometry and stress echocardiography on optimized programming of the upper frequency limit of dual chamber cardiac pacemakers. *Z Kardiol* 87: 817 - 825
17. **McElroy** PA, Janicki JS, Weber KT (1988) Physiologic correlates of the heart rate response to upright isotonic exercise: relevance to rate - responsive pacemakers. *J Am Coll Cardiol* 11: 94 - 99
18. **McElroy** PA, Janicki JS, Weber KT (1988) Cardiopulmonary exercise testing in congestive heart failure. *Am J Cardiol* 62: 35 - 40
19. **Mehta** D, Gilmour S, Ward DE, et al (1989) Optimal atrioventricular delay at rest and during exercise in patients with dual chamber pacemakers: a non - invasive assessment by continuous wave Doppler. *Br Heart J* 61: 161 -166
20. **Meine** M, Israel CW, Wehmeier K, Elker N, Mügge A, Werner J (2000) Welche Patienten profitieren von einer physiologischen frequenzadaptiven Schrittmachertherapie ? *Herzschr Elektrophys* 11 : 27 - 28
21. **Ng** KS, Gibson DG (1989) Impairment of diastolic function by shortened diastolic filling period in severe left ventricular disease. *Br Heart J* 62: 246 - 252
22. **Owen** CH, Esposito DJ, Davis JW, et al. (1998) The effects of ventricular pacing on left ventricular geometry, function, myocardial oxygen consumption, and efficiency of contraction on conscious dogs. *Pacing Clin Electrophysiol* 21: 1417 - 1429
23. **Pieske** B, Kretschmann B, Meyer M, et al. (1995) Alterations in intracellular calcium handling associated with the inverse force - frequency relation in human dilated cardiomyopathy. *Circulation* 92: 1169 -1178
24. **Schwaab** B (2000) Physiologische Schrittmacherstimulation bei Patienten mit Bradykardie-Tachykardie-Syndrom und chronotroper Inkomp petenz. *Habilitations schrift Medizinische Fakultät. Universität des Saarlandes* 19 - 28
25. **Schwinger** RH, Bohm M, Koch A, et al. (1992) Force - frequency relation in human heart failure. *Circulation* 86: 2017 - 2018

26. **Sowton E** (1963) Haemodynamic studies in patients with artificial pacemakers. Br Heart J 26: 737 - 746
27. **Tanaka H**, Monahan KD, Seals DR, et al. (2001) Age - predicted maximal heart rate revisited. J Am Coll Cardiol 37: 153 - 156
28. **Tei C**, Ling LH, Hodge DO, et al. (1995) New index of combined systolic and diastolic myocardial performance: a simple and reproducible measure of cardiac function - a study in normals and dilated cardiomyopathy. J Cardiol 26: 357 - 366
29. **Tei C**, Nishimura RA, Seward JB, et al. (1997) Noninvasive Doppler derived myocardial performance index: correlation with simultaneous measurements of cardiac catheterization measurements. J Am Soc Echocardiogr 10: 169 -178
30. **Weber KT**, Kinasewitz GT, Janicki JS, Fishman AP (1982) Oxygen utilization and ventilation during exercise in patients with chronic cardiac failure. Circulation 65: 1213 - 1223
31. **Wilkoff BI**, Corey J, Blackburn G (1989) A mathematical model of the cardiac chronotropic response to exercise. J Electrophys 3, 176 -180
32. **Wilkoff BI**, Ellenbogen, Kay (1995) Programming rate – modulated pacemakers. Clinical cardiac pacing, 443
33. **Zhou Q**, Henein M, Coats A, et al (2000) Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times. Heart 84: 272 - 276